



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 2000 Buick Type: Regal GS, 4-door sedan

Driver: 40-year-old male CDC: 12-FDEW-5

SITUATION

(Slide 1) Case vehicle (A) was traveling north in the middle northbound lane of a straight section of a dry asphalt, six-lane divided roadway, (slides 2, 3) with a speed limit of 72 kph (45 mph). For an unknown reason, the driver of case vehicle (A) veered across the inside northbound lane, entered a concrete median with mountable curbs, and struck a bridge abutment head-on in a full-frontal mode. After impact, case vehicle (A) rebounded away from the abutment and came to rest in the median facing north.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 4) Damage to case vehicle (A) was severe. The direct-damage length was 160 cm and began at the right-front bumper corner. The maximum crush was 108 cm and occurred 54-cm inboard from the right-front bumper corner. The right wheelbase was reduced 49 cm, and the left wheelbase was reduced 47 cm.

Using the WinSMASH accident-reconstruction program and (slides 5, 6, 7) c-values for case vehicle (A), the following impact severity was calculated:

		Calculated Velocity Change - kph (- kph (mph)
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	delta V	97 (60)	-97 (-60)	0 (0)

The data downloaded from the vehicle Sensing and Diagnostic (SDM) indicated an impact speed of 60 mph, no pre-impact braking, and 100% throttle for four seconds prior to impact.

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

(Slides 8, 9, 10, 11, 12) The front bumper, both headlight assemblies, the radiator, the grille, the hood, and both fenders were damaged by direct contact. The windshield was damaged as the hood was crushed rearward. Both upper and lower A-pillars were deformed and the right roof siderail was slightly buckled. The hood was crushed, the hood latch was damaged and jammed,

and both hood hinges were damaged, but did not separate. The rear edge of the hood was elevated and contacted the windshield. There was 42 cm (9%) of bond separation at the lower left corner of the windshield. Both front doors were displaced rearward and were jammed closed. The left-front side window was shattered, but this may have occurred during extrication of the driver.

Interior

(Slides 13, 14, 15) This vehicle was equipped with both steering-wheel and passenger frontalimpact airbags, which deployed during the frontal impact. This vehicle was also equipped with side-impact airbags which did not deploy. The steering-wheel airbag had been cut out and had several blood stains on the front and top rear of the bag. (Slides 16, 17, 18, 19) No damage was noted to the airbag module doors/flaps. (Slides 20, 21, 22) The steering-wheel rim and spokes were severely deformed. The steering column was rotated upward and was off the shear capsules. (Slides 23, 24, 25, 26, 27) The windshield was cracked and 42 cm (9%) of bond separation was noted in the lower left corner of the windshield. The sunroof opening was deformed and the glass was shattered. The rearview mirror was knocked off the mounting plate. The mid instrument panel, the control knobs, the radio, the ashtray, the climate control vents, the console-mounted gear shift lever, the parking brake release, and the glove compartment area were damaged by impact forces. The interior panels of both front doors and the left-front door armrest were damaged by impact forces. Both of the front seat adjusters were deformed and jammed, and the left-front seat cushion and backrest were damaged by impact forces. The lower instrument panel, the center console, and the accelerator pedal were damaged by impact forces and occupant contact. (Slides 28, 29, 30) The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
left front	toepan below left knee strike	20	to rear
left front	toepan below right knee strike	40	to rear
left front	instrument panel	10	to rear
left front	steering-wheel hub	6	to rear
center front	instrument panel	12	to rear
right front	instrument panel	15	to rear

OCCUPANT INJURIES AND KINEMATICS

The 6-ft, 0-in, 210-lb, 40-year-old male driver (slides 31, 32) was <u>not</u> wearing the available three-point belt, and the steering-wheel airbag deployed. (Slides 33, 34, 35, 36, 37, 38) On impact, he moved forward into the airbag and knee bolster/instrument panel. (Slides 39, 40, 41) It does not

appear that he made contact with the windshield header. He sustained contusions to both eyes and an abrasion to the left upper lip, probably from contact by the deploying airbag. He sustained a LeFort III fracture, involving the mandible, the hard palate, the maxillary sinus, the orbits, the anterior sinus wall, and both zygomatic arches. He also sustained fractures to the bilateral mandibular rami, a midline displaced fracture of the mandible, and a partially avulsed left-front tooth. Theses facial fractures were probably caused by contact with the steering-wheel rim through the overloaded airbag, and by contact with the upper instrument panel. He sustained a mid-chest abrasion and a right anterior pneumothorax from contact with the steering-wheel rim through the airbag. He sustained fractures of the left transverse processus of L2 through L5, probably from twisting and rotation of his torso. (Slide 42) He sustained a 12-cm laceration to the anal sphincter, from the median raphae to the mid-right portion of the scrotal sack, involving a laceration to the perineum, and a 5-cm transverse laceration to the scrotal sack. These lacerations are probably from splaying of the buttocks as he loaded the seat, resulting in stretching and pulling of the scrotal area, but are possibly from direct contact with the instrument panel/knee bolster or the foot pedals.

He sustained abrasions to the right forearm and wrist, and a contusion and laceration to the 1st right finger, probably from contact with the instrument panel. He sustained lacerations to the left forearm, probably from flying glass, but possibly from contact with the instrument panel. He sustained contusions to the left forearm, probably from contact with the instrument panel, but possibly from contact with the interior surface of the door. He sustained an abrasion to the left medial upper arm, probably from contact by the deploying airbag. He sustained an abrasion to the anterior/lateral aspect of the left knee, probably from contact with the knee bolster. (Slides 43, 44, 45) He sustained an open subtalar dislocation, involving the articular cartilage of the right foot, a fracture of the right navicular bone, and comminuted fractures of the 2nd through 5th right metatarsals, probably from contact with the accelerator pedal/toepan.

The following table and attached drawing (slide 46) summarize the injuries sustained by the driver.

Occupant: Driver
Restraints: 3-point belt <u>not</u> worn; airbag deployed; side-impact airbag did not deploy

Age: 40 years Stature: 183 cm (6 ft, 0 in)

Sex: Male

Mass: 96 kg (210 lb)


		Injury Source		
Injury Description	A.I.S.	Definite	Probable	Possible
Contusion, both eyes	1		Airbag	
Abrasion, left upper lip	1		Airbag	
Abrasion, left medial upper arm	1		Airbag	
Le Fort III fracture, involving the mandible, hard palate,	3		Steering-wheel rim/upper	
maxillary sinus, orbits, anterior sinus wall and both			instrument panel	
zygomatic arches				
Fractures, bilateral mandibular rami	1		Steering wheel rim/	
			upper instrument panel	
Fracture, displaced midline mandible	2		Steering wheel rim/	
			upper instrument panel	
Partially avulsed left tooth	1		Steering wheel rim/	
			upper instrument panel	
Abrasion, mid-chest	1		Steering wheel	
Right anterior pneumothorax	3		Steering wheel	
Fractures, left transverse processus of L2 -5	2		Twisting of torso	
Laceration, anal sphincter, 12 cm	3		Seat	Lower instrument panel;
				foot pedals
Laceration, scrotal sack, 5 cm	1		Seat	Lower instrument panel;
				foot pedals
Abrasions, right forearm	1		Instrument panel	
Abrasions, right wrist	1	·	Instrument panel	
Laceration, 1 st right finger	1		Instrument panel	
Contusion, 1 st right finger	1		Instrument panel	
Laceration, left forearm	1		Flying glass	Instrument panel
Contusion, left forearm	1		Instrument panel	Interior door surface
Abrasion, left anterior/lateral knee	1	Knee bolster		
Open subtalar dislocation, involving the articular cartilage	1		Accelerator pedal/toepan	
of the right foot				
Fracture, right navicular bone	1		Accelerator pedal/toepan	
Fracture, comminuted, 2 nd -5 th right metatarsals	2		Accelerator pedal/toepan	
Maximum A.I.S. Level				
	<u>3</u>			
Injury Severity Score			1	
	<u>27</u>			

Duplicate columns 1-8 Module G I Format 0 2 from the previous card. 9 10 11 12		GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION	_	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE (1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED	33 1 34
(9) UNKNOWN ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	∑ ₂₈	(7) OTHER:	<i>¥</i> 1
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	$\frac{8}{30}$	(0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE) (0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	38

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	4	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 60 TO 77 (7) 26 TO 35 78 TO 95 (8) OVER 35 OVER 96 (9) UNKNOWN CROSSWIND (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, UNKNOWN IF LIGHTED (6) DARK, UNKNOWN (9) UNKNOWN	Ø 41	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS: COMMENTS:
	l	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER	<u></u>	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN	3
(1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	48	(9) UNKNOWN DRIVER IMPAIRMENT	55
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	49	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u></u>
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	<u> </u>	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	9 (
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u></u>	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	<u>—</u>
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u></u>	LIST IMPAIRMENTS MENTION	NED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	<u></u>	POST - CRASH DETAIL MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	(1) DRIVEN(2) TOWED DUE TO DAMAGE(3) TOWED, NOT DUE TO DAMAGE(4) TOWED, REASON UNKNOWN(9) UNKNOWN	60

ACCIDENT DESCRIPTION: Case vehicle (A) was traveling north in the CASE VEHICLE (A): 2000 Buick Regal	1-door
middle northbound lane of a straight section of a dry asphalt OTHER VEHICLE (B): N/A	
Six-lane divided roadway. For an unknown reason, the driver of THIRD VEHICLE (C): N/A	
Case vehicle (A) recred across the inside northbound lane, entered a concrete median with mountab	le.
curbs, and struck a bridge abutment head-on in a full frontal mode, After impact, case	
vehicle (A) rebounded away from the abutment and came to rest in the median facing north.	
	NORTH



Duplicate columns 1-8 from the previous card. Module O V Format 0 4 9 10 11 12	OTHER VEHICLE OV-1
MAKE:	CARGO:
MODEL:	
VIN	
MANUFAC/BODY CODE N/A MAKE/MODEL CODE MODEL YEAR MODEL YEAR WEHICLE MASS (kg) 43 IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	VEHICLE TYPE PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT (28) INTERMEDIATE (29) FULL MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107*, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH SLIDE-IN CAMPER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN WHEELBASE (CM) (999) UNKNOWN

Duplicate columns 1-8 M from the previous card.	lodule O V	Format <u>0 2</u>	C	OTHER V	EHICLE	OV-2
		ORIGINAL SPE	CIFICATIONS			
Wheelbase		cm	Front Overhang	22		cm
Curb Weight		kg	Rear Overhang	25		cm
Average Track Width		cm	Undeformed End Width	(UEW)		cm
Overall Length	13 15	cm	Engine Displacement	28	30	L
Overall Width (OAW)	16 18	cm	Engine: # of Cylinders	31	32	
Overall Widah (Oztri)	19 21		Engine. # or oyunders	33	34	····
		VEHICLE [DAMAGE			
N/1	4					
-						
-						

FRONTAL CRA	ASH OVERLAP	
Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.	Direct Damage Length (DDL)	cm
Front-End Overlap (Percent) = DDL UEW		% 38 39
Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEV	<u>V)</u>	40 41 %

Duplicate columns 1-8 Module V D Format 0 4 from the previous card.	VEHICLE DESCRIPTION VD-1
MAKE: Buick MODEL: Regal	CARGO: None
VIN 2 G 4 W F 5 5	15 Y 1
MANUFAC/BODY CODE $\frac{1}{30} \frac{1}{100} = \frac{1}{34}$	STOLEN VEHICLE
MAKE/MODEL CODE	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN
MODEL YEAR $\frac{2}{39}$ Φ Φ	(e, emacent
VEHICLE MASS (kg) \mathcal{Q} \mathcal{Q} \mathcal{Q} \mathcal{Q} \mathcal{Q} \mathcal{Q} \mathcal{Q}	BODY STRUCTURE (1) BODY & FRAME
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 9 8 8 8 8 8 54	(2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME (E.G. VW BUG)
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) D 1 56	(E.G. VW BOG) (5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN
TRAVELING SPEED (km/h) Q 4 7 59	TRANSMISSION
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN
VEHICLE TYPE	LOCATION OF TRANSMISSION
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (13) 60 61	SELECTOR LEVER (1) FLOOR
(ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH. : (19) PASSENGER VEHICLE, TYPE UNKNOWN	(2) CONSOLE (3) COLUMN (7) OTHER: (9) UNKNOWN
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)	STEERING
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	(1) POWER (2) MANUAL (9) UNKNOWN
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED)	BRAKES (1) POWER
(33) PICKUP TRUCK, LARGE (99) UNKNOWN	(2) MANUAL 67 (9) UNKNOWN

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	3	WHEELBASE <i>(cm)</i> (999) Unknown 277 76 77 78
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN	2	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER
AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70	(9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN	2 71	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY
DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE
ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS - (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3 73	 EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN	<u></u>	FRONT OR REAR
TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	4 75	ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card. Module V D Format 0 2 9 10 11 12

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

Average Track Width
$$\frac{1}{13} \frac{5}{7} \frac{7}{15}$$
 cm

Undeformed End Width (UEW)

Overall Length

$$\frac{49}{16} = \frac{8}{2}$$
 cm


Engine Displacement

Overall Width (OAW)

$$\frac{1}{19} \frac{8}{5} \frac{5}{21}$$
 cm

Engine: # of Cylinders

VEHICLE DAMAGE



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

 $\frac{1}{35} \underbrace{6}_{37} \underbrace{0}_{37} \text{cm}$

Front-End Overlap (Percent) = $\frac{DDL}{UEW}$

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

	A Format 0 2 0 11 12	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	<u>Ø</u> <u>6</u> <u>0</u>	$\frac{9}{35}$ $\frac{9}{36}$ $\frac{8}{37}$
ESTIMATED BY	$\frac{7}{3}$	<u>8</u>
CRUSH (cm)	$\frac{1}{18} \stackrel{17}{\cancel{Q}} \frac{8}{20}$	$\frac{9}{39} \frac{9}{40} \frac{8}{41}$
CDC #1	12.FDEW.5	$\frac{9}{42} \stackrel{\cancel{3}}{\cancel{2}} \cdot \underbrace{\mathcal{O}}_{48} \underbrace{\mathcal{O}}_{48} \underbrace{\mathcal{O}}_{48} \underbrace{\mathcal{O}}_{48}$
CDC #2	$\frac{9}{28} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \underline{\mathcal{O}} \\ \underline{\mathcal{O}} & \mathcal$	$\frac{9}{49} \cdot \underline{9} \cdot 9$
Duplicate columns 1-8 Module D // from the previous card. 9 10	A Format 0 3	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	8 13	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	
CRUSH (cm)	18 19 20	39 40 41
- CDC #1	21	42
CDC #2	28 34	49 55
Codes		
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN IMPACT SPEED	(2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
(998) NOT APPLICAB (999) UNKNOWN	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM SPECIFY: (7) OTHER: Vehicle's (8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	CDC (9800000) NOT APPLICABLE (9900000) UNKNOWN

Duplicate columns 1-8 M from the previous card.	Nodule D A Format 0 1 1 12		DAMAGE DA-2
		M C	
		ET METAL CRUSH 9) UNKNOWN	
	(cm) (98	SS) GIARIAGYVIA	
FRONT	13 0 8	RIGHT SIDE	Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø
REAR	$ \bigoplus_{19} \bigoplus_{21} $	LEFT SIDE	$ \underbrace{\Phi}_{22} \underbrace{\Phi}_{24} $
ROOF	$ \underbrace{\mathcal{Q}}_{25} \underbrace{\mathcal{D}}_{27} \underbrace{\mathcal{Q}}_{27} $	OTHER	$ \underline{\mathcal{Q}}_{28} \underline{\mathcal{Q}} \underline{\mathcal{Q}}_{30} $
		CAL SEQUENCE DDUCING CRASH EVENTS	5
		E VEHICLE	
NOTE: IF CHRONO IS UNKNOW ORDER IS C	DLOGICAL ORDER VN, EVENT DPTIONAL.	DO YOU KNOW THI TO BE IN CHRONOL (0) NO (1) YES	S TABLE LOGICAL ORDER?
EVENT NUMBER	IMPACT LOCATION	IMPACT CONFIGURATION	OBJECT/VEHICLE CONTACTED
	(1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	FOR CODES, SEE TABLE ON PAGE DA-3.	FOR CODES, SEE TABLE ON PAGE DA-4.
# 1	<u>2</u>	1 7	8 8
#2	37	39	41
#3	42	44	46
#4	47		 51
#5	52	 	
#6	57	59	
#7	62	64	

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE T) (22) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

DAMAGE DA-4

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- (98)
- OTHER (DESCRIBE)
- (99)
- UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

- SUB-MINI
- < 2286 mm (< 90")
- MINI SUB-COMPACT
- 2286 2412 mm (90" 94.9") 2413 - 2539 mm (95" - 99.9")
- COMPACT
- 2540 2666 mm (100" 104.9") 2667 - 2793 mm (105" - 109.9")
- INTERMEDIATE FULL
- 2794 2920 mm (110" 114.9")
- LARGE

- 2921 3174 mm (115" 124.9")
- LIMOUSINE
- > 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107°, E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS) (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN (92) GUARD RAIL, TRAILING SECTION
- (93) GUARD POST (TIMBER, METAL, CONCRETE) (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 Module <u>C</u> <u>F</u> from the previous card.	R Format 0 1 12		H RECONSTRUCT	TION CR-1
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
ΔV (km/h) TOTAL	<u>Q</u> 9 7 16	888	48 49 50	66 67 68
LONGITUDINAL*	$\frac{-}{17}$ \mathcal{Q} $\frac{97}{20}$	8 35 88 8 38	51 54	69 72
LATERAL* NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.	$\frac{1}{21}$ \bigoplus \bigoplus \bigoplus \bigoplus \bigoplus \bigoplus 24	$\frac{8}{39} \frac{8}{8} \frac{8}{8} \frac{8}{42}$	55 58	73 76
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>-</u> <u>0</u> <u>0</u> <u>7</u>				
ENERGY DISSIPATED BY CRUSH (kj)	<u>Ø6 Ø6</u>	<u> </u>		77 80
RECONSTRUCTION	599717			
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>2</u> 3			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	<u>a</u>		65	
COMPUTER PROGRAM SPECIFY: WINSMASH				

	R Format 0 2 0 11 12		SH RECONSTRUC Or EBS	TION CR-2
	CASE VEHICLE	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
EBS (km/h) TOTAL	<u>Q</u> <u>9</u> <u>7</u> <u>16</u>	<u>8</u> 8 8 32 33 34	48 49 50	66 67 68
LONGITUDINAL*	$=$ $\mathbb{Q}_{\frac{7}{20}}$	<u>\$</u> 888	51 54	69 72
LATERAL*	1000	8888		
NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76
EXAMPLES: 10 km/h = ± <u>0</u> <u>1 0</u> -7 km/h = <u>- 0 0 7</u>				
ENERGY DISSIPATED BY CRUSH (kj)	<u>Ø</u> 6 0 0	8888 43	59 62	77 - 80
RECONSTRUCTION	599717			
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	23			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM	2 31		65	
SPECIFY: WINSMASH				

Duplicate columns 1-8	
from the previous card	

Module C R Format 0 3 10

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN <u>CENTIMETERS</u>.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.


CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
	Begins Offiont bumper corner	B.C. to B.C.



DL

UDL

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).			umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.		Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
	1	160	C4	136	114	110	109	IIΦ	110	117	D
					-16	-4	-2	- 2	-4	-16	
					98	106	107	108	106	101	
1	1	160	108	136	<i>0</i> 98	106	107	108	106	101	+0000
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8
from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u>

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR


- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L

N/A





DL _____

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	ole below is a	separate rec	ord (card).		zno plicate col	umns 1 - 1	2 for each	complete	d line
Specific Impact Number	Plane of Impact C-Measur.		Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
-											
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8 Module W T 9 10			WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	(A) 13 (A) 16 (A	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF $\frac{P}{2}$ $\frac{2}{2}$ $\frac{5}{6}$ $\frac{6}{0}$ $\frac{P}{1}$ $\frac{6}{6}$ RF $\frac{P}{35}$ $\frac{2}{35}$ $\frac{5}{6}$ $\frac{6}{0}$ $\frac{R}{1}$ $\frac{6}{6}$ RR $\frac{P}{45}$ $\frac{2}{35}$ $\frac{5}{6}$ $\frac{6}{0}$ $\frac{R}{1}$ $\frac{6}{6}$
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 4 20	LR P 22560R16_
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 3 3 2	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEEL AND MAKE NOTES ON INNER WHEELS. NOTES:			

Duplicate columns 1-8 Module F T Format from the previous card. 9 10	0 1	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>8</u>
MAIN TANK LOCATION	322 14 16	AUXILIARY TANK LOCATION	<u>888</u>
MAIN FILLER CAP LOCATION	113	AUXILIARY FILLER CAP LOCATION	<u>Q 88</u> 25 27
MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	<u>8</u>
TANK AND	EILLED CA	AP LOCATION CODES	

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.



	I	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15					21
#2	22 23			_		29
#3	30 31					37
#4	38 39					45
#5	46 47					53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES
 (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

I COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R&C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format C 9 10 1		FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAG (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module E D Format from the previous card. 9 10 1	© 1 EXTERIOR DAMAGE	ED-1
HOOD PERFORMANCE FOR THE FOLLOWING, USE CODES:	STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE (0) NONE	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	(1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH(ES)RELEASED	(7) OTHER:	
-DAMAGED	COUPLINGDAMAGED	9
-JAMMED	(USE CODES FROM HOOD PERFORMANCE) -SEPARATED (COMPLETE)	27
HOOD HINGESLEFT, DAMAGED	16	
-LEFT, SEPARATED (COMPLETE)	17	
-RIGHT, DAMAGED	Eng Compart Telescoping Unit	
-RIGHT, SEPARATED (COMPLETE) HOOD REMAINED ON VEHICLE	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	8 8 30
REAR EDGE OF HOODELEVATED	ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIELD	F (OR H):	
-PENETRATED WINDSHIELD	TELESCOPED LENGTH (mm) G:	
HOOD LATCH LOCATION		
(1) FRONT OF VEHICLE (2) COWL AREA (3) SIDE (8) NOT APPLICABLE (9) UNKNOWN	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.)	
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 33

		EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8/34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	4	USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR)	
-A-PILLAR, UPPER LOWER -B-PILLAR, UPPER	35 4 36 0 37	(9) UNKNOWN -FRO	43
LOWER -C-PILLAR, UPPER	⊕ 39	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
- LOWER	₫	-FRO	45
-D-PILLAR, UPPER	\$\frac{\mathbb{S}}{41}\$ \$\frac{\mathbb{S}}{42}\$		
-			

			EST AVAILAB
		Exterior Damage	ED-3
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN Hatchback	47	OTHER REAR DAMAGE WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION	<u>8</u> 51
One-way Two-way Clamshell Single door		(8) NOT COLLECTED (9) UNKNOWN TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING	52
HOW DID DOOR OPEN DURING COLLISION? (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	8 / ₄₉	(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL. P/U) (7) OTHER (E.G. CLEVIS-AND-PIN) (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	53

		EXTERIOR DAMAGE E	D-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8 ₅₄	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	4 55	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN -FRONT	ΦΦ
LOWER -B-PILLAR, UPPER	1 56 2 57	-REAR	63 64 ФФ 65 66
LOWER	⊉ 58	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES	
-C-PILLAR, UPPER	D 59	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN -FRONT	1
LOWER		-REAR	—————————————————————————————————————
-D-PILLAR, UPPER	8 61 C	VAN REAR DOOR TYPE	0
LOWER	<u>€</u> 2	(0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	8 69

		EXTERIOR DAMAGE	ED-5
WINDSHIELD DAMAGE WINDSHIELD CRACKED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	70	WINDSHIELD MARK ON CASE VEHICL	E:
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	71		
CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN	₽ 72 1 73	WINDSHIELD CODE (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN ROOF DID T-ROOF/SUN ROOF OPEN DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN Glass shafered	74 7
LOCATE AREA OF WINDSHIELD IN & HORIZONTAL) ON THIS DIAGRA	TEREST OF	R DAMAGE WITH DIMENSIONS (VERTICAL WINDSHIELD AS VIEWED FROM INSIDE.	\$
L	-	-	—— R

Duplicate columns 1-8 Module S C Format from the previous card. 9 10	0 1	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>2</u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1, 2 O'CLOCK = 0, 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4 14	(NORMAL STRAIGHT AHEAD) O'CLOCK = 29	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u></u>	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	2 16	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED ORIGINAL DIMENSION (mm)	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	D	A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN ENERGY ABSORBING DEVICE		STEERING WHEEL (CONTINUED)	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	D
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE) OR			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION	1		
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	31		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION(1) LEFT APPARENT ROTATION(2) RIGHT APPARENT ROTATION(9) UNKNOWN	$ \Phi_{32} $		

							İn	NTRUSIC	N IT-1
					(All Measuremen	ts Are in Cen	timeters)		
Location Intrusio	of n	Intruded	Component	Compari Value		uded	= Intrusio	n	Dominant Crush Direction
		toe pan t	selw Oknes	105	5 - 8	.5	= 20	r	ear ward
11		li	n ®knee	125	. – 8	5	= 40		W
11		I.P.		71	- 6	1	= 10		1,
11		Steering-	dud ladu	51	- 4	5 :	= 6		Ŋ
12		I.P.		71	_ 5	<u>'9</u>	= 12		Ŋ
13		I.P.		74	<i></i>	-9 :	= 15		41
							=		
						:	=		
					_	=	<u> </u>		
							=		
						=	=		
							=		· · · · · · · · · · · · · · · · · · ·
					_	=	=		
						=	=		
						=	=		
,				<u></u>	-		=		
	1		0	CCUPANT C	ONTACT WOF	RKSHEET			
Contact	Co	Interior Imponent Intacted	Occupant No. if Known	Body Region if Known	Supp	orting Phys	sical Evidence	•	Confidence Level of Contact Point
Α	Su	rim .		face/Chest	rim de	formed			1
В	Kno	z bolster	1	Knee	Scuff	mark	5		1
С		e bulster		Knee	Scuff	mark	S		1
D	ctr	Stack		hip	Scuff cracke	ed			
E				•					
F									
G									
Н									
<u> </u>									
J									

Intrusion IT-3

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT


THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1) LEFT	(3) RIGHT		INDIVIDUAL SEAT
(1) LEFT	(2) CENTER	(3) RIGHT	. BENCH: FULL WIDTH 3 PASSENGER
(1) LEFT	(2) LEFT CENTER	(6) RIGHT (3) RIGHTCENTER	BENCH: FULL WIDTH 4 PASSENGER
(1) LEFT	(2) CENTER	(5) RIGHT &AISLE SPACE	. BENCH: PARTIAL WIDTH, LEFT
(0) LEFT & SPACE	(2) CENTER	(5) RIGHT &SPACE	. BENCH: PARTIAL WIDTH, CENTERED
(4) ENTIRE	VEHICLE WIDTH		CARGO AREA


EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS



VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

- (X) X-AXIS (FORE & AFT)
- (Y) Y-AXIS (LATERAL)
- (Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE
- SEAT-BACK BACK SURFACE (20) FOURTH SEAT-BACK SURFACE
- SEAT-BACK BACK SURFACE (21) FIFTH SEAT-BACK SURFACE
- SEAT-BACK BACK SURFACE (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER
- A-PILLAR **ROOF SIDE RAIL**
- (51)INSTRUMENT PANEL A-PILLAR
- DOOR PANEL (52)INSTRUMENT PANEL
 - A-PILLAR
 - WINDSHIELD HEADER
- (53)DOOR PANEL **B-PILLAR ROOF RAIL**
- (54)DOOR PANEL A-PILLAR **ROOF RAIL**
- (55)INSTRUMENT PANEL FLOOR PAN
 - A-PILLAR DOOR FRAME
- (56)ROOF RAIL
 - A-PILLAR **B-PILLAR**
 - WINDOW FRAME
- (57)ROOF RAIL
 - A-PILLAR
 - **B-PILLAR**
 - C-PILLAR
 - DOOR PANEL
- (58)ROOF **ROOF RAIL**
 - WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER
 - ROOF C-PILLAR
 - THIRD SEAT-BACK

- (60)ROOF ROOF RAIL A-PILLAR **B-PILLAR**
 - C-PILLAR WINDOW FRAME
 - DOOR PANEL FLOOR PAN
- (61)INSTRUMENT PANEL
 - **TOE PAN**
 - WINDSHIELD HEADER A-PILLAR
 - **ROOF RAIL WINDOW FRAME**
 - **DOOR PANEL** ROOF
- (62)ROOF
 - **ROOF RAIL** C-PILLAR
 - **WINDOW FRAME FLOOR PAN**
 - SECOND SEAT
 - DOOR PANEL
- (63)ROOF RAIL ROOF **B-PILLAR**
 - WINDOW FRAME
 - **FLOOR PAN**
 - **DOOR PANEL** SECOND SEAT
 - FRONT SEAT
- (64)ROOF RAIL ROOF OR CONVERTIBLE TOP
 - A-PILLAR
 - **B-PILLAR** WINDOW FRAME
 - WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER **ROOF SIDE RAIL**
- (66)WINDSHIELD
- WINDSHIELD HEADER A-PILLAR
- (98)NOT APPLICABLE
- (99)UNKNOWN

Duplicate from the p	columns 1-i previous car	8 Module d.	1 T 9 10	Format 0	1 12			INTE	RUSION	IT-5			
(0) N (1) Y	IO <u>DO NO</u>	UPANT CON TANSWER NEXER NEXES EN NEXT QUES SKIP PAGE	CT QUEST		_	V 13		ION CATAS [*] COMPLETE PA SKIP PAGE.		14			
from the p	Duplicate columns 1-8 Module I T Format 0 2 from the previous card. 9 10 11 12 NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.												
INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY													
A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT	D ASSOC. EVENT NO.	E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)	G MAXIMUM INTRUSION Z AXIS (cm)	H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER			
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33			
0 1	$\perp L$	<u>03</u>	1	40	Q Q	ΦΦ	01	24	Ø l	25			
0 2	11	<u>Ø3</u>	1	<u>a</u> <u>o</u>	$\underline{\boldsymbol{\sigma}}\underline{\boldsymbol{\sigma}}$	$\underline{\boldsymbol{\sigma}}\underline{\boldsymbol{\Phi}}$	QQ	00	$\Phi\Phi$	$\underline{\Phi}\underline{\Phi}$			
0 3	11	<u> </u>	1	10	$\underline{\boldsymbol{\varphi}}\underline{\boldsymbol{\varphi}}$	$\underline{\boldsymbol{\varphi}}\underline{\boldsymbol{\varphi}}$	<u>o</u> L	18	01	19			
0 4	1/	<u>05</u>	1	06	$\underline{\boldsymbol{\sigma}}\underline{\boldsymbol{\sigma}}$	$\underline{\boldsymbol{\sigma}}$	Ø L	9 3	<u> </u>	04			
0 5	12	$\Phi \perp$	1	12	$\underline{\mathcal{Q}}\underline{\mathcal{Q}}$	$\underline{\sigma}\underline{\Phi}$	$\boldsymbol{\varphi}$	00	$\boldsymbol{\varphi}$	$\boldsymbol{\varphi}\boldsymbol{\varrho}$			
0 6	<u>13</u>	<u>0</u> <u>1</u>	1	15	$\Phi\Phi$	$\underline{\sigma}\underline{\Phi}$	<u>o</u> <u>o</u>	<u>o</u> o	$\underline{\sigma}\dot{\underline{\sigma}}$	00			
0 7 NOTE: USE	 E ADDITIONAL F	PAGE IF MORE TH	 IAN 7 INTRU	JSIONS.		<u> </u>	<u></u>						
	columns 1-8 revious card		<u>I</u> <u>T</u> 9 10	Format <u>0</u>	<u>3</u> 12								
SKIP SIDE D	O SIDE DOO PREMAINDER DOOR INT SULTED F	RUSION		IF DAI DOOF INTRUS NUMBE	RINTRUS BION I	DOOR CO ION, CODE DAMAGED IMPONENT 1	OMPONENT E COMPONI DAMA COMPO	ENT AGED	D IN INCRE	EASED			
INTRUSIC NUMBER	R CAUSE	CODES FOR CAUSE:		A	_		2:	(FOR COMPONE (0) NONE (1) A-PILLAR	ENTS			
13 16 19	18 (2	1) DIRECT IMPACT 2) INDUCED DAMAGE 9) UNKNOWN		B 26 27 C 30 31 D 34 35	- -	_ _ _	3:	() 9 () () 3 () ()	2) B-PILLAR 3) C-PILLAR 4) LATCH/STRI 5) HINGES 7) OTHER: 8) NOT APPLIC 9) UNKNOWN	-			

Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>T</u> Format <u>0</u> <u>2</u> 11 12

Intrusion

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT			F MAXIMUM INTRUSION Y AXIS (cm)		H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER	
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33	
0 8											
0 9											
1 0			_								
1 1											
1 2											
1 3											
1 4											
<u>1</u> <u>5</u>			_				. — —				
<u>1</u> <u>6</u>											
1 7											
1 8											
<u>1</u> 9											
2 0			_								
2 1			_								
22											
2 3											
2 4											
2 5							——				

Duplicate columns 1-8 from the previous card.	Modu	ile <u>I</u> <u>D</u> 9 10	Format <u>0</u> <u>1</u>	ln	TERIOR DAMAGE II	D-1
co	(·	O) NO I) YES B) NO, and	I OCCUPANT CONTACT	(4) YES, and C (8) NOT APPL (9) UNKNOWN	OCCUPANT CONTACT ICABLE I	
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING - ROOF STRUCTURE T-ROOF/SUN ROOF		RIGHT 140 160 180 120	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLETS HEATER OR A/C DUCTS RADIO OTHER: *	55 1 56 4 57 58 1 59 1 60 161 62 063 1 64 1 65 1 65 8 67
OTHER: *	1 8 43	42 44			REAR WINDOW WINDOW HEADER	Ø
-					CONSOLES VERTICAL ROOF	₹ 70 71

^{*} MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 Module S T from the previous card. 9 10		2 12	SEATS	(ST-1
FRONT SEAT TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE	DRIVER 05 13 14	PASSEN'R	FRONT SEAT-BACK SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	DRIVER 3 30	PASSEN'R
(97) OTHER:	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	3 33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	22	RECLINER MECHANISM HELD (0) NO (1) YES	36	37
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8 23	8 24	(8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & * OCCUPAT CUSHION DAMAGED CONTROL + and (8) NOT APPLICABLE CONTROL + and (9) UNKNOWN ** flow pan buckli		** 3 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	38	<u></u>
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	ر پ		(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	40	<u></u>
FRONT SEAT ROTATION (0) NONE APPARENT	Ø	Ø	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	2 42	2/43
(1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>\tilde{\theta}_4</u>	45

			Se	ATS S	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	Passen'r	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	2 46	1 2 49	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	Q _e	<u>)</u>
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	SECOND SEAT-BACK LOCKS	LEFT	Rіснт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	2 50	2 51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8	8
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	<u></u>	53	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED) % % % % % % % % % % % % %
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	3 54	3 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	67	<u>8</u>
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Rіснт	EQUIPPED	Ø	70
(0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT	56	57	BACKREST DAMAGED CUSHION DAMAGED	Ø 73	70 8 72 8 74
(5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u> 58	D 59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED & DAMAGED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	7	5

Duplicate columns 1-8 from the previous card. Module A B Format C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 12	AIRBAG .	AB-
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	1
DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	1
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	ed O 15	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	Q
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	21
MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u></u>	MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>Q</u>

NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.


IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.

Duplicate columns 1-8 Module O C Format of from the previous card.	0 <u>2</u> 11 12	OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	13 14 15	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	20 21 20 21 25 22 23
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN HEIGHT (cm) (999) UNKNOWN SEX (1) MALE (2) FEMALE (9) UNKNOWN	$ \frac{096}{24} = \frac{183}{27} $ $ \frac{183}{27} = \frac{1}{28} $ $ \frac{1}{30} = \frac{1}{30} $
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN POSTURE (10) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA (07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 31 DAYS TO 31 DAYS LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: Lagression & Canylet (CIRCLE EACH) (9) UNKNOWN	,

		Occupant Information	00.2
	Т	T	00-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT		CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van	8 8
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	3 36 realism	(88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	
RESTRAINT SYSTEM			
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN	3	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN	43
ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN	<u></u>	(9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR	9 8 45
(0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN	39	FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:	
PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	2	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

OCCUPANT INFORMATION OC-3									
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	9 47	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	48						

INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

Module 1 C Format 0 1 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

		.				PRII	MARY	OIC		А	ssoc	IATE	D OIC		COM	MENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBA START IN 1ST	BILITY (HOP WITH MOST CONTACT A	IN ORDER OF RIZONTALLY) . I PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 10		
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30		
Q I	$ \mathcal{Q}I $	87			F	L	<u>C</u>	Ī	1	_		_	_			
1	02	87			F	R	<u>c</u>	I	1							
	03	65			E	\bar{C}	F	5	3					-		
	<u>04</u>	65			F	$\mathcal{\underline{S}}$	F	<u>S</u>	1							
	05	65			E	I	E	<u>s</u>	2							
	06	65			_	_		5	1	_						
	Ø 7	87				I		I	1							
	08	65					_	I	1		_	_	_			
g Fi	09	65			<u> </u>	- ()	U	U	3		_	_				
te "Occupant Number" for each line.	10	98			R	T		S	_	_		_	_			
Numbe		98			B	T T		_	_			_	_			
ccupan		<u></u> 9				T	_	<u>S</u>			_			-		
licate "C	12				<u>B</u>	<u>T</u>	<u>F</u>	_	3	_	_			-		
— Duplica	13		<u></u>		1			<u>S</u>			_		_	-		
		51	28		l			\mathcal{D}	3		_	_				
	15	51	38		m	\overline{I}	L	Ī	1	_			_			
	16	<u>55</u>			R	R	A	Ī	1	_		_	_			
	17	55			W	R	<u>C</u>	Ī	1	_		_				
	18	55			\overline{M}	R	A	Ī	1		_					
NOTE:	USE ADDIT	IONAL PAG	SES IF NECI	ESSARY.												

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	
		(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	
(54)		(= ι)	CONTROOK
(55)	• •	(22)	WINDOW GLASS (SIDE)
(56)	• •	(21)	
(81)	1.7	(21)	WINDOW FRAMES (SIDE)
(02)	GLOVE COMPARTMENT AREA	(06)	BOOF CIDE DAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(26)	_ · · · · _
(47)	AIRIDAG (AORIO) COMI ARTIMENT DOON COVER	(14)	
(57)	BENEATH INSTRUMENT PANEL		B-PILLAR
	PARCEL TRAY		C-PILLAR
(53)		(17)	D-PILLAR
(48)	KNEE RESTRAINT	_	
(86)	VERTICAL CONSOLE	FLOOR	
		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	CONSOLE ON FLOOR OR BETWEEN SEATS
		(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	
(65)	STEERING WHEEL	(28)	
(66)	STEERING WHEEL COLUMN	(91)	
(59)	TRANSMISSION LEVER ON COLUMN	, ,	
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	
(84)	PARKING BRAKE HANDLE IN FRONT		
(67)	IGNITION KEY	(24)	
(06)	MIRROR		DOME LIGHT
(04)		(39)	
	HEATER OR AIR CONDITIONING DUCTS	(68)	
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	_	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
_			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW	•	OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
NTERIOF	R-GENERAL	(-,)	THE STORY TELLIOLE
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT	(,,)	OUTSIDE MISCORD AATTANA TOWN
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(70)	OUTSIDE MIRRORS, ANTENNA, TRIM)
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(20)	1 001 001111020 (INOL 1 ANKING BHAKE FEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
(29)	EDONIT CEAT DACK/C)	(75)	TRUNK OF OTHER VEHICLE
	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
			OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		
(34)	RESTRAINT SYSTEM WEBBING	PENETRA	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER		OBJECTS (DESCRIBE)
(46)	AIRBAG GAS	V /	
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT	(00)	
(42)	CHILD SEAT RESTRAINTS		OTHER (E.G. FIRE. DESCRIBE)
(43)	CHILD SEAT	(90)	·
(31)	INTERIOR LOOSE OBJECT		INDUCED
	OTHER OCCUPANT(S)		
(52)	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(97)	EJECTED, UNKNOWN CONTACT
(41)	UNKNOWN INTERIOR SURFACE	(98)	IMPACT FORCE, "WHIPLASH",
()		(00)	HYPEREXTENSION/COMPRESSION

Module | C Format (


Injury Classification IC-1

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

Duplicate columns 1-8 from the previous card.

				SSIFICATION		PRIMARY OIC ASSO					ASSOCIATED OIC				COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START IN 1ST	BILITY (HOF WITH MOST CONTACT A	IN ORDER OF RIZONTALLY) . PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT N	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT O	LESION 3	SYSTEWORGAN 4	SEVERITY LO	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
Q_{\perp}	19	55			$\overline{\omega}$	R	L	I	1	_	_		_	_	
1	20	<u>52</u>	<u>55</u>		R	L	上	Ī	1					_	
	21	55	20		R	L	C	I	1	_			_		
	22	87			A	L	_	Ī	1				_		
	23	28	40		QE	R	D	<u></u>			_	_	_		
	24	28	40			_			•	-		-	_		
					Q	R	F		الح ر	_			_		
	35	<u>28</u>	40		Q	R	E_	<u>S</u>	2		_	-	_	_	
	26	<u>28</u>	40		Q	R	F	<u>S</u>	2	_			_		
each fin	27	<u>28</u>	<u>40</u>		Q	<u>R</u>	E	<u>S</u>	2	_		_	_		
"Occupant Number" for each line	28	28	4 O		Q	R	F	S	2						•
at Numb	29	48			K	L	Ā	Ī	1						
ednooc					_			=	_		_		_		
Duplicate "C					-		*****		-	_		_	_		
dia l					-			_	_	_	-	`	_	_	
					-	_	-	_	_			_	_	_	
					_		_	_	_		_	_		_	
						_		_			_		_		
												•			
					_	_					_	_			
NOTE: USE ADDITIONAL PAGES IF NECESSARY.															



INJURY CLASSIFICATION IC-4

(9) UNKNOWN

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)									
1	BODY REGION	3	LE	ESION	l	4	SYSTEM/ORGAN		
	(H) HEAD/SKULL		(L)	LACE	RATION		(S) SKELETAL		
	(F) FACE		(C) CON	TUSION .		(V) VERTEBRAE		
	(N) NECK		(A)) ABRA	SION		(J) JOINTS		
	(S) SHOULDER		(F)	FRAC	TURE		(D) DIGESTIVE		
	(X) UPPER EXTREMITIES		(P)		ORATION,		(L) LIVER		
	(A) ARM (UPPER)		PUNCTURE				(N) NERVOUS SYSTEM		
	(E) ELBOW			(K) CONCUSSION (V) AVULSION			(B) BRAIN		
	(R) FOREARM						(C) SPINAL CORD		
	(W) WRIST/HAND			RUPT			(E) EARS		
	(C) CHEST		` '	SPRA			(O) EYES		
	(M) ABDOMEN				OCATION		(A) ARTERIES		
	(B) BACK			CRUS			(H) HEART		
	(P) PELVIC/HIP		• •		TATION		(Q) SPLEEN		
	(Y) LOWER EXTREMITIES		`		CHMENT, RATION TURE AND		(G) UROGENITAL		
	(T) THIGH		(G)				(K) KIDNEYS		
	(K) KNEE		(Z)				(R) RESPIRATORY		
	(L) LEG (LOWER)		(T)		OCATION N		(P) PULMONARY/LUNGS		
	(Q) ANKLE/FOOT			STRAI			(M) MUSCLES		
	(O) WHOLE BODY		(E) TOTAL SEVERANCE TRANSECTION				(T) THYROID, OTHER		
	(U) UNKNOWN		(O)	(O) OTHER			ENDOCRINE GLAND		
		(U) UNKNOWN			(I) INTEGUMENTARY (SKIN)				
							(W) ALL SYSTEMS IN REGION		
							(U) UNKNOWN		
2	ASPECT					5	SEVERITY		
	(R) RIGHT	ASPECT BODY REGION		SYS			(OR "AIS", ABBREVIATED INJURY SCALE)		
	(L) LEFT			TEM.	SE		(0) NONE		
	(B) BILATERAL		ביים ביים ביים	ORGAN	SEVERITY SYSTEM/ORGAN		(1) MINOR		
	(C) CENTRAL	Σ <u>c</u>	j <u>ç</u>	Ž			(2) MODERATE		
	(A) ANTERIOR/FRONT	1 2	: 3	3 4 5			(3) SERIOUS		
	(P) POSTERIOR/BACK						(4) SEVERE		
	(S) SUPERIOR/UPPER						(5) CRITICAL		
	(I) INFERIOR/LOWER						(6) MAXIMUM		

(W) WHOLE REGION

(U) UNKNOWN

















PN 18200#8







√18200#1





18200#13





















18200#23



































PN 18200 #40













DN 19200 #46